

DEEPS TOOLS PVT. LTD.



DEEPS TOOLS PVT. LTD.
www.deepstools.com



ISO 9001:2015



ISO 14001:2015



COMPANY PROFILE

"Deeps Tools Pvt. Ltd." a "Hand Tools Unit" was established in the year 1979.

Over the years, the company has emerged as a full-fledged Export Oriented Manufacturing Unit for forged hand tools with highest Quality of International Standards and has all in house services to cater different types of requirements. Most of the products are being exported to various Countries all over the world.



PRODUCTION CAPACITY

PROCESS	MAJOR MACHINES	INSTALLED CAPACITY	CAPACITY PCS (MONTHLY)
FORGING	HOT DROP FORGED HAMMERS	11	3.6 million
BROACHING	BROACHING MACHINES	22	3.10 million
COINING	STAMPING PRESSES	8	1.50 million
HEAT TREATMENT	AUTOMATIC ELECTRIC HARDING AND NORMALIZING EQUIPMENT	2	4.00 million
	GAS OPERATED	2	0.8 million
FINISH COATING	PLC OPERATED AUTOMATIC PLANT	2	3.5 million
RATCHET MACHINING LINE	ROBO DRILL	5	
	CNC (COMPUTERISED NUMERICAL CONTROL)	2	
TOOL ROOM	VMC(VERTICAL MACHINING CENTER)	4	
	VMC ENGRAVING	2	
	WIRE CUTTING MACHINE	2	
	EDM (ELECTRICAL DISCHARGE MACHINING)	2	
	TOOL CUTTING/GRINDING	2	
TESTING EQUIPMENT	OPTICAL EMISSION SPECTROMETER	1	
	AUTOMATIC TORQUE TESTER	1	
	DIGITAL HARDNESS	1	
	CORROSION RESISTANCE TESTING	2	
	HULL-CELL TEST	2	
	MULLEN BURSTING STRENGTH	2	
	FISCHER COULOMETRIC PLATING THICKNESS MEASURING SYSTEM	1	

Unit - 1 | **Unit - 2**
 320-321 Industrial Area - A, | Walipur Kalan Road, Hambran,
 Ludhiana 141003 Punjab INDIA | Ludhiana 141110 Punjab INDIA

PROFESIONAL SERIES

EXTRA COMFORT & EFFECTIVE GRIP Larger side handle and recess frame handle design maximize the comfort with the hand.

CHROME VANADIUM STEEL MATERIAL High torque performance as over 2 times as ANSI & DIN Standard. Professional quality for maximum durability and corrosion resistance.



Art. : 2061 (DIN 3113)

COMBINATION WRENCHES 15° Offset
Sizes : 6 to 32mm




Art. : 2051 (DIN 3110)

DOUBLE OPEN-END WRENCHES
Sizes : 6x7 to 30x32mm



Art. : 2031 (DIN 838)

BOX-END WRENCHES 75° Offset
Sizes : 6x7 to 30x32mm



COMBINATION WRENCHES

DIN 3113



Art. : 1061

Sizes : 6 to 32mm
COLD COINED
& STAMPED



Art. : 161

Sizes : 6 to 32mm
FULLY POLISHED
ELLIPTICAL PATTERN



Art. : 61

RECESS PANEL
Size : 6 to 32mm
1/4" to 1-1/4" SAE



DIN 3113 B

Art. : 6012

DEEP OFFSET
Size : 5 to 32mm
1/4" to 1-1/4" SAE



Art. : 611

SHALLOW OFFSET
Size : 5 to 32mm
1/4" to 1-1/4" SAE



Art. : 6110

SHALLOW OFFSET
Size : 6 to 32mm
1/4" to 1-1/4" SAE
FULLY POLISHED
ELLIPTICAL PATTERN



SETS	SIZES
3M	8, 10, 12MM
6M I	6, 9, 10, 13, 15 & 17MM
6M II	8, 10, 12, 13, 14, 17MM
6M III	9, 10, 11, 14, 17, 19MM
6M IV	11, 12, 13, 14, 15, 16MM
7M	10, 11, 12, 13, 14, 17, 19MM
7A	3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"
8A	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
8M I	6, 8, 9, 10, 13, 15, 17 & 19MM
8M II	8, 9, 10, 12, 13, 14, 17 & 19MM
8M III	6, 8, 10, 12, 13, 14, 17 & 19MM
8M IV	8, 10, 11, 12, 13, 14, 17 & 19MM
8M V	8, 9, 10, 11, 13, 14, 17 & 19MM
9A	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
9M I	8, 10, 11, 12, 13, 14, 15, 17 & 19MM
9M II	8, 10, 11, 12, 13, 14, 15, 17, 19, 22MM

SETS	SIZES
9M III	8, 10, 12, 13, 14, 15, 17, 19, 22MM
10M I	6, 8, 10, 12, 13, 14, 15, 17, 19, 22MM
10M II	8, 10, 12, 13, 14, 17, 19, 22, 24, 27MM
10M III	8, 9, 10, 11, 12, 13, 14, 17, 19, 22MM
11M I	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19MM
11M II	8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24MM
12M I	6, 7, 8, 9, 10, 11, 12, 13, 15, 17, 19, 22MM
12M II	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22MM
12M III	8, 9, 10, 12, 13, 14, 17, 19, 22, 24, 27, 32MM
12M IV	8, 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32MM
12M V	10, 12, 13, 14, 16, 17, 19, 22, 24, 27, 30, 32MM
12M VI	6, 8, 9, 10, 11, 13, 14, 16, 17, 19, 21, 22MM
12M VII	10, 13, 15, 17, 19, 21, 22, 24, 25, 27, 28, 32MM
12M VIII	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22MM
12M IX	6, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 22MM


Art. : 101

ASME B107. 100-2023

Sizes : 6 to 50mm

1/4" to 1-1/4" SAE

FULLY POLISHED
ELLIPTICAL PATTERN



Art. : 201

STUBBY WRENCH

Sizes : 8 to 25mm

5/16" to 1" SAE



JUMBO SPANNERS

Sizes : 33 to 50mm 15/16" to 2" SAE

FULLY POLISHED
ELLIPTICAL PATTERN



Art. : 81 RAISED PANEL

ASME B107.100-2023

Sizes : 6 to 50mm 1/4" to 2" SAE



SETS	SIZES	SETS	SIZES
14M I	6, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27MM	25M	6 TO 28, 30, 32MM
14M II	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19MM	25AM	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17 & 19MM 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"
14M III	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24MM	26M	6 TO 30 & 32MM
14M IV	8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 23, 24MM	27M I	6 TO 32MM
14M V	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 32MM	27M II	6 TO 28, 30, 32, 36, 38MM
15M	6, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 32MM	30AM	6, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" STUBBY 10, 11, 12, 13, 14, 15MM
16M	8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 27, 30, 32MM	32M	6 TO 28, 30, 32, 34, 36, 38, 41, 46, 48, 50MM
17M	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22MM	32PC I	6, 7, 8, 9, 10, 12, 13, 15, 17, 18MM 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" STUBBY 10, 11, 12, 13, 14, 16, 19MM 3/8, 7/16, 1/2, 9/16, 5/8, 11/16"
21M	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24, 25, 27, 28, 30, 32MM	32PC II	6, 7, 8, 9, 10, 11, 12, 13, 14, 17MM 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 11/16" STUBBY 8, 10, 11, 13, 14, 16MM 5/16, 3/8, 7/16, 1/2, 9/16, 5/8"
22M I	8, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32MM		
22M II	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 26, 27, 28, 30, 32MM		
22M III	6 TO 19 & 10, 13, 21, 22, 24, 27, 30, 32MM		
22AMI	6, 7, 8, 10, 11, 12, 13, 14, 15, 17 & 19MM 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"		
22AMII	6, 7, 8, 9, 10, 12, 13, 14, 15, 17 & 19MM 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16 & 3/4"		

DOUBLE OPEN-END WRENCHES DIN 3110



Art. : 1051

Sizes : 6x7 to 36x41mm

**COLD COINED &
STAMPED**



HIGH PERFORMANCE



POWERFUL TORQUE :

Optimum alloy-steel structure and heat treatment throughout ensure high strength. The long shank of wrench allows extra leverage without compromising safety.



HIGH PRECISION :

CAM optimizes manufacturing accuracy and repeatability. Tight tolerances on sizes and high-quality finish ensure perfect fit on fasteners and grip in the hand for maximum safety and user comfort.

Art. : 151

Sizes : 6x7 to 36x41mm

**FULLY POLISHED
ELLIPTICAL PATTERN**



Art. : 51

LONG PATTERN

Sizes : 6x7 to 36x41mm



SETS	SIZES
6M I	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 MM
6M II	6x7, 8x10, 10x12, 12x13, 14x15, 17x19 MM
7M	6x7, 8x10, 9x11, 10x12, 12x13, 14x17, 19x22 MM
8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 MM
11M	8x10, 10x12, 12x13, 14x15, 13x17, 17x19, 19x22, 22x24, 24x27, 27x30, 30x32 MM
12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 MM

Art. :21

IS-2028

Sizes : 6x7 to 30x32mm
1/4"x5/16" to 1-1/8"x1-1/4" SAE

CARBON STEEL



Art. : 121

Sizes : 6x7 to 30x32mm

**FULLY POLISHED
ELLIPTICAL PATTERN**



Art. : 1021

Sizes : 6x7 to 30x32mm

**COLD COINED
& STAMPED**



Art. : 71

ASME B107.100-2002 (B107.39)

Sizes : 6x7 to 30x32mm
1/4"x5/16" to 1-1/8"x1-1/4" SAE

RAISED PANEL



SETS	SIZES
5A	1/4x5/16, 3/8x7/16, 1/2x9/16, 11/16x19/32, 5/8x3/4"
6M I	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 MM
6M II	6x7, 8x10, 10x12, 12x13, 14x15, 17x19 MM
7M	6x7, 8x10, 9x11, 10x12, 12x13, 14x17, 19x22 MM
7A	1/4x5/16, 5/16x3/8, 3/8x7/16, 1/2x9/16, 5/8x11/16, 13/16x7/8, 15/16x1"
8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 MM
8A	1/4x5/16, 5/16x3/8, 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x25/32, 13/16x7/8, 15/16x1"
11M	8x10, 10x12, 12x13, 14x15, 13x17, 17x19, 19x22, 22x24, 24x27, 27x30, 30x32 MM
12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 MM



Art. : 1031

DEEP OFFSET

Sizes : 6x7 to 30x32mm

COLD COINED &
STAMPED



Art. : 131

DEEP OFFSET

Sizes : 6x7 to 30x32mm

FULLY POLISHED
ELLIPTICAL PATTERN



Art. : 31

DEEP OFFSET

Sizes : 6x7 to 30x32mm

1/4"x5/16" to 1-1/8"x1-1/4" SAE



RECESSED PANEL

DIN 897

Art. : 13

SHALLOW OFFSET

Sizes : 6x7 to 30x32mm




RECESSED PANEL

SETS	SIZES
6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 MM
8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 MM
8A	1/4x5/16, 5/16x3/8, 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x25/32, 13/16x7/8, 15/16x1"
12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 30x32 MM

DRIVES

V-DRIVE

Sizes :
6 to 32mm



- * Provides better contact with fasteners to prevent rounding
- * More grip when rotating fasteners.
- * Holds for 4 sides.



RATCHET DRIVE

Sizes : 6 to 32mm

- * Acts like a Ratchet.
- * Grips rounded off Fasteners.
- * Works on Fasteners Installed very close to wall.



Place open-end on fastener and turn in desired direction.



Hold wrench against fastener and swing wrench back into original position without lifting off fastener.


Ratchet Wrenches have a new fixed open end design that combines the design of an open end wrench with the versatility of ratchet action, allowing the user to reposition the wrench having to disengage it from the fastener.



VERSATILITY

- Narrow ends for better accessibility in tight area.
- 30° increments.
- Side or Top approach.

MULTI DRIVE



Oval body for a comfortable grip




MM	SAE	TORX
8	5/16	E-10
10	3/8	E-12
11	7/16	E-14
13	1/2	E-16
14	9/16	E-18
16	5/8	E-20
17	11/16	E-22
19	3/4	E-24

The revolutionary invention of DEEPS MULTI DRIVE Wrenches can be used on all types of Bolts and Nuts. **(METRIC, SAE, TORX)**

DYNAMIC HEXA DRIVE

Metric & Inches

Sizes : 6 to 32mm
1/4" to 1-1/4" SAE



Oval body for a comfortable grip



A Nut or Bolt has flats and corners. The corners are more easily damaged and do not offer the optimum grip for a tool. The Deeps Dynamic Hexa Drive Profile the drive only on flats not on the corners. These open end spanners always provide a 4 points grip instead of the 2 points grip characterizing the traditional profile.

THE DIFFERENCE THAT COUNTS

DYNAMIC HEXA DRIVE profile forces only on the flats not on the corners of the fasteners. The dimensions of these spanners have precisely calculated so that single spanner will operate on both metric & inch series fasteners, fewer tools are required to perform a range of operations. Fewer tools means less cost, less inventory and less weight in an operators tool box.

TORQUE LOADING

DYNAMIC HEXA DRIVE profile was designed to provide a greater area of force application compared with that applied by conventional tools. This tool in distributing the torque load to the fastener through the flats does not only achieves greater force but also lowers the possibility of distortion to the nut or bolt head.

EXTRA LONG SPANNER

Art. : 191

Sizes : 8 to 32mm
5/16" to 1-1/4" SAE

HIGH VANADIUM STEEL



WRENCH EXTENDER

- * To loosen connection on hard to reach areas
- * More leverage



1/2" Square Drive


COMBINATION & RING OBSTRUCTION WRENCHES

FULLY POLISHED ELLIPTICAL PATTERN

These wrenches are used in places where obstruction Block access by straight wrenches. Application Specially suitable for work on Engines e.g. bolts on alternator & starter.


Art. : 207 C - TYPE

Sizes : 8 to 22mm
5/16" to 7/8" SAE




Art. : 208 C - TYPE

Sizes : 6x7 to 20x22mm
1/4"x5/16" to 13/16"x7/8" SAE




Art. : 209 S - TYPE

Sizes : 8 to 22mm
3/8" to 7/8" SAE



Art. : 210 S - TYPE

Sizes : 8x10 to 20x22mm
5/16"x3/8" to 13/16"x7/8" SAE



- 6Pcs. 10, 12, 13, 14, 17, 19 MM
8Pcs. 10, 11, 12, 13, 14, 17, 19, 22 MM
9Pcs. 10, 11, 12, 13, 14, 15, 17, 19, 22 MM
3A 3/8", 7/16", 1/2"
5A 3/8" - 5/8"
5M 10, 12, 13, 14, 17 MM

- 6Pcs. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17 MM
8Pcs. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 MM
3A 3/8"x7/16", 1/2"x9/16", 5/8"x11/16"

These Flare Nut Wrenches provide fix points of contact for a more secure grip on soft fasteners like brass fittings. The open end also allow use with fasteners on tubing.

Art. : 202

TORX DOUBLE ENDED RING WRENCHES (STRAIGHT)

Sizes :

E6 x E8
E7 x E11
E10 x E12
E14 x E18
E16 x E22
E20 x E24mm



TORX



Double Ended
Ring Wrenches
Straight for out
Side Torx Screws.



Art. : 203

FLARE NUT WRENCHES

- Fully Polished Finish
- Chrome Vanadium Steel

Sizes : 6x8, 8x10, 9x11, 10x12, 13x14, 15x17, 16x18, 19x21, 22x25mm
SAE : 1/4x5/16, 5/16x3/8, 3/8x7/16, 1/2x9/16, 5/8x11/16, 5/8x3/4, 3/4x13/16"
5Pcs. : 1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x11/16, 5/8x3/4, 3/4x13/16"
6Pcs. : 8x10, 9x11, 10x12, 13x14, 15x17, 16x18mm
5Pcs. : 6x8, 10x12, 13x14, 15x17, 19x22mm

Art. : 215

HITCH BALL WRENCHES

Sizes : 1-1/2" x 1-1/8" SAE




- Narrow ends for better access in tight areas.
- Clear, deep stamping for easy product identification.
- Nickel-chrome plated full polish finish for corrosion resistance.
- Steel alloyed with high quality chrome vanadium 31 Cr V3 and controlled heat treatment.

Art. : 205

DOUBLE FLEXIBLE SOCKET WRENCHES

Sizes : 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm
: 5/16x3/8", 3/8x7/16", 7/16x1/2", 1/2x9/16",
5/8x11/16", 11/16x3/4", 13/16x7/8" SAE




- 12 Point Swivel Socket rotate upto 180° on both ends.
- This wrench has two different-size ends.

Art. : 206

COMBINATION FLEXIBLE SOCKET WRENCHES

Sizes : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm
: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" 3/4", 7/8" SAE



- 12 Point Swivel Socket rotate upto 180° on one ends.
- A wrench for quick tightening can be used at any angle.

RATCHET SERIES

RATCHET WRENCH

- Metric Size (8mm - 24mm)
- High grade Alloy steel Spanner.
- 72 teeth with 5° increment.
- Heat Treated to withstand requisite designed torque.
- Gear Assembly from Taiwan.
- Fully Polished Elliptical design for smooth grip.

31 CRV3



REVERSIBLE RATCHET

- Metric Size (8mm - 24mm)
- High grade Alloy Steel.
- 72 teeth with 5° increment.
- Two way reversible gear design for quick and easy fastening and loosening work.
- Heat Treated to withstand requisite designed torque.
- Gear Assembly from Taiwan.
- Fully Polished Elliptical design for smooth grip.



COMBINATION FLEXIBLE RATCHET WRENCH

- Metric Size (8mm-24mm)
- High grade Alloy Steel.
- 72 teeth with 5° increment.
- Flexible Ratchet Ring allows 180 degree operation.
- Heat Treated to withstand requisite designed torque.
- Gear Assembly from Taiwan.
- Fully Polished Elliptical design for smooth grip.



DOUBLE FLEXIBLE BOX RATCHET WRENCH

- Metric Size (8x 10, 10x11, 12x13, 15x17, 16x18mm)
- High grade Alloy Steel.
- 72 teeth with 5° increment.
- Flexible Ratchet Ring allows 180 degree operation.
- Heat Treated to withstand requisite designed torque.
- Gear Assembly from Taiwan.
- Fully Polished Elliptical design for smooth grip.





HIGH PERFORMANCE
TOOLS

WATER PUMP PLIER BOX TYPE WITH DIP SLEEVE

- Design to Ensure Jaws Remain Parallel
- Special broach design for better gripping
- Jaws Specially Induction Hard
- Full Body Hard
- Box Joint Adjusting System
- Safety Lock for Hand Pinch Protection
- Powder Coated and texture
- Black Phosphate also available
- Cushion Grip Handle

SIZE	
Inch	mm
7	180
10	250
12	300
16	400



31 CRV3

WATER PUMP PLIER PUSH BUTTON

- Design to Ensure Jaws Remain Parallel
- Special broach design for better gripping
- Jaws Specially Induction Hard
- Full Body Hard
- Box Joint Adjusting System
- Safety Lock for Hand Pinch Protection
- Powder Coated and texture
- Black Phosphate also available
- Cushion Grip Handle

SIZE	
Inch	mm
10	250
12	300



WATER PUMP PLIER (EXTRA CURVE)

- 9-notch adjustment for 40% more gripping capacity.
- Self Locking on Nuts and Pipes, capacity for nuts 48mm and for Pipes 51 mm, without any slippage.
- Chrome Vanadium Steel 31 crv3, fully hardened, Teeth specially induction hardened.
- Box Joint design for high stability due to double edge.
- Pinch guard prevents from fingers pinched.

SIZE	
Inch	mm
10	250
12	300



TOWER PINCER

- Induction Hardened Cutting Edges
- Full Body Hard
- Polished Head
- Drop Forged
- Powder Coated Finish
- Cushion Grip Handle



SIZE

Inch	mm
9	225
10	250
11	275
12	300

CARPENTER PINCER

- Induction Hardened Cutting Edges
- Full Body Hard
- Polished Head
- Drop Forged
- Powder Coated Finish
- Cushion Grip Handle



SIZE

Inch	mm
8	200

TOP CUTTER

- Induction Hardened Cutting Edges
- Full Body Hard
- Polished Head
- Drop Forged
- Powder Coated and Texture
- Cushion Grip Handle



SIZE

Inch	mm
7	175
8	200

DT-141 FENCING PLIER WITH HAMMER HEAD

Size : 10.1/2" - 262mm



- Drop Forged Alloy Steel
- Hammer Head, Staple Puller, Wire Stretcher and Cutters
- Cushion Grip Handles

LONG REACH PLIERS

LONG REACH PLIERS

- Made of forged special selected steel.
- Available in back phosphated / polished / finish.
- Long slim design is perfect for gripping and assembly work in hard to reach areas.
- Serrated gripping areas for holding on to round parts near base of Jaws.
- Slim yet robust tool.
- Fully body hardened for higher performance.
- Handles with double dipped non – slip cushion grips.



CROWFOOT SERIES

Art. : 212

FLARE NUT CROWFOOT WRENCHES

Sizes : 10 to 24mm 3/8" to 15/16" SAE



METAL RAIL



PLASTIC RACK

Art. : 213

OPEN END CROWFOOT WRENCHES

Sizes : 10 to 24mm 3/8" to 15/16" SAE



METAL RAIL



PLASTIC RACK

The wrenches are supplied on a clip holder with 3/8"  drive for tight with socket tools that is extension bar and ratchet handle.
Application for Torque Wrenches.

Art. : 212A

FLARE NUT FLEXI CROWFOOT WRENCHES

Sizes : 10 to 19mm



Art. : 213A

OPEN END FLEXI CROWFOOT WRENCHES

Sizes : 10 to 19mm



1/2" Dr. SOCKET

- * Cold Forged
- * Made in Taiwan made Skweing Machine.

31 CRV3

HEXA & BI-HEXA



SIZE : 8mm to 24mm



CURVED MULTI WRENCHES

Fits any SAE or Metric Hex from...

Sizes : 8-13mm, 14-22mm

: 5/16" - 1/2", 9/16" - 7/8" SAE

- Grips most shapes such as hex, round, square and rounded fasteners.
- Serrated edge grabs and holds tight (the harder you pull the tighter it grips)



BEARING PULLER

- * Legs made of High Quality Alloy Steel.
- * Made of High Quality Carbon Steel.
- * Legs Centre Bolt Hard.
- * Claws and tripod well designed to withstand designed torque.

Meet to ASME Std.

SIZE

Inch	mm
4	100
6	150
8	200
10	250

Three Jaw



Two Jaw



DOUBLE FLEXIBLE FLARE NUT WRENCH

Sizes : 10x11mm, 12x13mm, 15x17mm, 16x18mm
: 3/8"x7/16", 1/2"x9/16", 5/8"x11/16" SAE,

- * Construction high grade Alloy steel.
- * 180° flexible head provides better access to hard to reach places.
- * Mirror polish Ni-Cr finish easily wipes clean and resists corrosion.
- * Traditional flare nut wrench and crowfoot function.



PIPE WRENCH SWEDISH TYPE 90°A

- * Material Chrome Vanadium Steel
- * Drop Forged
- * Entirely Hardened and Tempered
- * Serrated Jaws, Specially Induction Hardened
- * Surface Finish Powder Coated
- * Made according to DIN Standard
- * Jaws at 90°Angle



SIZE

Inch

3/4"

1"

1-1/2"

2"

3"

PACKAGING

P - 22



COMB. : 5A, 5M, 6A, 6M, 7A, 7M, 8A, 8M, 9A, 9M,
11A, 11M, 12A, 12M, 14A, 14M, 16A, 16M,
17A, 17M, 25M, 26M
D.O.E. : 5A, 5M, 6A, 6M, 8A, 8M, 10A, 10M, 11A,
11M, 12A, 12M
RING : 6A, 6M, 8A, 8M, 12A, 12M

P - 13



COMB. :
18AM,
20AM
22AM

P - 40



COMB. : 8A, 8M, 9A, 9M,
11A, 11M, 12A, 12M

P - 14



Combination Spanner
5, 6, 7, 8, 9, 10, 11, 12, 14 & 15 pc set
DOE Spanner 6, 8, 10 & 12 Pc set
Ring Spanner 6, 8 & 12 pc set



P - 17



P - 9



P - 5



P - 18

P - 9A



P - 50



P - 51



P - 35



P - 35A



P - 39



Deeps

HIGH PERFORMANCE
TOOLS



P - 49



P - 7



COMB. : 7A, 7M, 8A, 8M
D.O.E. : 5A, 5M, 7M, 12M
RING : 6A, 6M, 8M
FLARE NUT : 5M



P - 6



STUBBY :
6A, 6M, 7A, 7M, 12AM

P - 45



CROWFOOT : 7A, 7M, 10A, 10M



DT-100 CROSS SPANNER/LUG WRENCH



Socket Size : 17x19x21x23 mm
Length : 14", 15", 16", 20" long

DT-309 DRAINER WRENCH



(A) Square 8mm (B) 8x10mm

DT-361 OIL CAN PINT TYPE (WESCO TYPE)



PINT : 1/4 to 2

DT-121 COMBINATION PLIER



Size : 6", 7", 8" 150, 175, 200mm

DT-126 BENT NOSE PLIER



Size : 6", 7", 8"
150, 175, 200mm

DT-130 LONG NOSE PLIER (KOREAN TYPE)



Size : 6" - 150mm

DT-150 LOCKING PLIER



Size : 5", 7", 10"
125, 175, 250mm

DT-110 MEASURING TAPE



DT-254 PIN HAMMER



Size : 100 Gms

DT-105 BOX SPANNER WITH TOMMY BAR



Size :
6x7 to
30x32mm

DT-351 GREASE GUN (LEVER TYPE)



OZ : 8, 10, 15
CC : 300, 350, 450

DT-362 OIL CAN (PISTOL TYPE)



PINT : 1/4
CC : 125

DT-122 COMBINATION PLIER (HEAVY DUTY SLEEVE)



Size : 8" - 200mm

DT-127 MINIATURE PLIER SET



(A) Combination (B) Pin Nose (C) Top Cutter
(D) Flat Nose (E) Side Cutting (F) Bent Nose

Size : 4.1/2" - 110mm

DT-108 TYRE LEVER



Size : 10", 12", 14", 18", 24", 36"

DT-1203 TIN CUTTER



Size :
6", 8", 10", 12"
150, 200, 250, 300mm

DT-251 CLAW HAMMER



Size : 1/2, 1 LBS
Wt. : 225, 450 Gms.

DT-255 SLEDGE HAMMER



Size : 800, 1000, 1200, 1500,
2000, 3000, 5000 Gms

DT-308 SLOGGING RING WRENCH



Size :
24 to 80mm

DT-311 SLOGGING OPEN END WRENCH



OZ : 4 & 8
Produces Pressure up to
2000 PSI

DT-352 GREASE GUN MINI (PUSH TYPE)



CC : 125 to 1000

DT-124 SIDE CUTTING PLIER



Size : 6", 7", 8"
150, 175, 200mm

DT-128 COMBINATION PLIER (KOREAN TYPE)



Size : 8" - 200mm

DT-145 SLIP JOINT PLIER



Size : 5", 6", 8", 10"
135, 150, 200, 250mm

DT-1204 SNIP AVIATION PLIER ON TIN CUTTER WITH LOCK



DT-252 (A) BALL PEIN HAMMER (B) CROSS PEIN HAMMER



Size :
100, 200, 300, 500, 600, 800 Gms

DT-256 CLUB HAMMER



Size : 800, 1000, 1200, 1500,
2000, 3000, 5000 Gms

DT-307 ADJUSTABLE WRENCH



Size : 6" - 12" 150 - 300mm

DT-372 CAULKING GUN (NEW MODEL)



Size : 9-1/2"

DT-371 CAULKING GUN (SKELTON MODEL)



Size : 9" - 225mm

DT-125 LONG NOSE PLIER



Size : 6", 7", 8"
150, 175, 200mm

DT-129 SIDE CUTTING PLIER (KOREAN TYPE)



Size : 6" - 150mm

DT-146 CIRCLIP PLIER



Size : 10", 12"
250, 300mm

DT-1205 PIPE CUTTER HEAVY DUTY



Size : 25, 50, 75, 100, 150 mm
Wt. Kg. : 2.6, 2.8, 3.7, 7.0, 9.9

DT-253 MACHINIST HAMMER (WITH WOODEN HANDLE)



Size : 100, 200, 300, 400, 500,
600, 800, 1000, 1500 Gms

DT-271 HACKSAW FRAME FIXED (WITH WOODEN HANDLE)



Size : 12" - 300mm

MERCHANDISED PRODUCTS

Deep's

DT-107
T-TYPE SPANNER



Size : 6 to 19 mm
1/4 to 3/4 SAE

DT-103
L-TYPE SPANNER



Socket Size : 17x19x21x23 mm

DT-105
PLUG SPANNER
(T-HANDLE)



Size : 16mm (5/8), 21mm (13/16)

DT-102 CROSS SPANNER
(Folding Type)



Socket Size :
17x19x21x23 mm
Length : 14"

TUBULAR HACKSAW

Size : Adjustable 260, 300mm



DT-272
(WITH PLASTIC HANDLE)

DT-273
(WITH STEEL HANDLE)

DT-274
(PROFESSIONAL)

DT-275 HANDY HACKSAW



Size : 12" Blade

DT-276 WOOD SAW



Size :
10", 12", 14", 18", 24", 30"
250, 300, 350, 450, 600, 760mm

JUNIOR HACKSAW

Size : 6" - 160mm



DT-277
STEEL HANDLE

DT-278
WOODEN HANDLE

DT-279
PLASTIC HANDLE

DT-303
PIPE WRENCH
(SWEDISH TYPE)



Size : 1", 1-1/2", 2"
25, 38, 50mm

DT-304 CHAIN PIPE WRENCH



Size : 2" - 12"
50 - 300mm

DT-301 PIPE WRENCH
(STILLSON TYPE)



Size : 8" - 48"
200 - 1200mm

DT-302 PIPE WRENCH
(RIGID TYPE)



Size : 8" - 18"
200 - 450mm

OIL FILTER WRENCH



DT-305
Heavy Duty

DT-306
Light Duty

DT-310 BASIN WRENCH



Size : 10" - 250mm

DT-104
WHEEL SPANNER



Socket Size : 17 to 41 mm
Tommy Bar : 20x450 / 25x500 mm

DT-373
ROTARY
BARREL PUMP



Size :
1-1/2" (Heavy)
1" (Medium)
3/4" (Light)

DT-374
BUCKET
GREASE GUN



Size :
5, 10, 15, 20 Kg

DT-401
STEEL VICE
(SWIVEL BASE)



Size : 3" - 8"
75 - 200mm

DT-402 BENCH VICE
(SWIVEL BASE)



Size : 3" - 8"
75 - 200mm

DT-403
TABLE BABY VICE
(FIXED BASE)



Size : 25 - 70mm

DT-404
PIPE VICE
SELF LOCKING



Size : 1-1/2" - 4"
40 - 100mm

DT-405 HAND VICE
(SPRING TYPE)



Size : 3" - 8"
75 - 200mm

DT-425 G/C CLAMP



Size : 2" - 6"
50 - 150mm

DT-430 LETTER/NUMBER PUNCH



Letter (A to Z) (& sign) 27 pcs. set
Figures : 0 to 9 (9 pcs.)

DT-450 RABBET PLANE



Size : 140, 175mm

DT-451 IRON JACK PLANE
Plain Base/Corrugate Base



Size : 6" - 24"

DT-452 BLOCK PLANE



Size : 5-1/2", 7"
140, 175mm

DT-453 SPOKE SHAVE



Size : 2-1/8", 10"
54, 250mm

DT-455 WRECKING BAR



Size : 16" to 36"
400 to 900mm

DT-465 BREAST DRILL



Size : 3/8", 1/2"
10, 12mm

DT-470
HAND
GRINDER



Size :
4" - 6"
100mm - 150mm

DT-901 EXTRA LARGE
CAPACITY SPLIT LEATHER
CARPENTER APRON 13 POCKETS



DT-902
SPLIT LEATHER CARPENTER
APRON 11 POCKETS



DT-903
SPLIT LEATHER PROFESSIONAL
CARPENTER APRON 5 POCKETS



INFRASTRUCTURE



Deep's



DEEPS TOOLS PVT. LTD.

Unit-1 : 320-321, Indl. Area-A, Ludhiana-141003 (INDIA)

Unit-2 : Walipur Kalan Road, Hambran, Ludhiana-141110 (INDIA)

Tel. : +91-161-2222523, 2221624, 2222472, Fax : +91-161-2600584, 2222403

E-mail : sales@deepstools.in, admin@deepstools.in

Website : www.deepstools.com